


# NX 45-A

## ACTIVE TWO WAY MULTIPURPOSE SPEAKER

### DESCRIPTION

The NX 45-A is an active speaker specifically designed to be the everyday tool for rental companies and professional musicians. It's one of the most flexible speaker for deploying high-power and pristine sound as a stand-alone FOH system or as a satellite (with subwoofer) but either as a stage monitor or a front, down or side fill speaker.



### FEATURES

- 1400 W 2-way class-D amplifier
- 133 dB SPL Max
- 45 - 20000 Hz Frequency Range
- 90° x 50° constant directivity coverage
- 15" neodymium woofer, 3.5" voice coil
- Horn loaded 4.0" neodymium c. driver
- Multiple rigging points

## TECHNICAL SPECIFICATIONS

<b>Acoustical specifications</b>	Frequency Response:	45 Hz ÷ 20000 Hz
	Max SPL @ 1m:	133 dB
	Horizontal coverage angle:	90°
	Vertical coverage angle:	50°
<b>Transducers</b>	Compression Driver:	1.4" neo, 4.0" v.c
	Woofer:	15" neo, 3.5" v.c
<b>Input/Output section</b>	Input signal:	bal/unbal
	Input connectors:	XRL, Jack
	Output connectors:	XLR
	Input sensitivity:	-2 dBu/+4 dBu
	Mic. Input Sensitivity:	-32 dBu
<b>Processor section</b>	Crossover Frequencies:	650 Hz
	Protections:	Thermal, RMS
	Limiter:	Soft Limiter
	Controls:	Volume, Boost, Mic/Line
<b>Power section</b>	Total Power:	1400 W Peak, 700 W RMS
	High frequencies:	400 W Peak, 200 W RMS
	Low frequencies:	1000 W Peak, 500 W RMS
	Cooling:	Convection
	Connections:	Powercon IN/OUT
<b>Standard compliance</b>	CE marking:	Yes
<b>Physical specifications</b>	Cabinet/Case Material:	Baltic birch plywood
	Hardware:	5 x M10, 4 x quick lock
	Handles:	2 Side
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
<b>Size</b>	Height:	707 mm / 27.83 inches
	Width:	418 mm / 16.46 inches
	Depth:	402 mm / 15.83 inches
	Weight:	24 kg / 52.91 lbs
<b>Shipping informations</b>	Package Height:	760 mm / 29.92 inches
	Package Width:	480 mm / 18.9 inches
	Package Depth:	460 mm / 18.11 inches
	Package Weight:	27 kg / 59.52 lbs



**PART NUMBER**

- **13000553**

NX 45-A


115V







- **13000552**

NX 45-A


220-240V

EAN 8024530015329







Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars




Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal 1/3 Octave Polars



Horizontal One Octave Polars

